

DECLARATION OF COMPLIANCE Nexis® T Filter Cartridges "W" Code

Cartridge Part Number

NXT Table 1 Table 2 U Table 3 W Table 4 480

This is a guide to the part numbering structure only. For specific options, please contact Pall.

Table 1 : Removal Rating

Code	Description
3	3 µm
5	5 µm
10	10 µm
20	20 µm
30	30 µm
40	40 µm
50	50 µm
75	75 µm
100	100 µm
150	150 µm
200	200 µm

Table 2 : Nominal Length

DOE Style Only 4 102 mm (4") 5 127 mm (5") 975 248 mm (9.75") 9875 251 mm (9.875") 10 254 mm (10") 195 495 mm (19.5") 20 508 mm (20") 2925 753 mm (29.25") 295 748 mm (29.5") 30 762 mm (30") 39 991 mm (39") 395 1003 mm (39.5") 40 1016 mm (40") SOE Style only 10 254 mm (10") 20 508 mm (20") 30 762 mm (30")	Code	Description	
5 127 mm (5") 975 248 mm (9.75") 9875 251 mm (9.875") 10 254 mm (10") 195 495 mm (19.5") 20 508 mm (20") 2925 753 mm (29.25") 295 748 mm (29.5") 30 762 mm (30") 39 991 mm (39") 395 1003 mm (39.5") 40 1016 mm (40") SOE Style only 10 254 mm (10") 20 508 mm (20") 30 762 mm (30")	DOE Style Only		
975	4	102 mm (4")	
9875	5	127 mm (5")	
(9.875") 10	975	248 mm (9.75")	
10	9875	251 mm	
195		(9.875")	
20 508 mm (20") 2925 753 mm (29.25") 295 748 mm (29.5") 30 762 mm (30") 39 991 mm (39") 395 1003 mm (39.5") 40 1016 mm (40") SOE Style only 10 254 mm (10") 20 508 mm (20") 30 762 mm (30")	10	254 mm (10")	
2925 753 mm (29.25") 295 748 mm (29.5") 30 762 mm (30") 39 991 mm (39") 395 1003 mm (39.5") 40 1016 mm (40") SOE Style only 10 254 mm (10") 20 508 mm (20") 30 762 mm (30")	195	495 mm (19.5")	
295 748 mm (29.5") 30 762 mm (30") 39 991 mm (39") 395 1003 mm (39.5") 40 1016 mm (40") SOE Style only 10 254 mm (10") 20 508 mm (20") 30 762 mm (30")	20	508 mm (20")	
295 748 mm (29.5") 30 762 mm (30") 39 991 mm (39") 395 1003 mm (39.5") 40 1016 mm (40") SOE Style only 10 254 mm (10") 20 508 mm (20") 30 762 mm (30")	2925	753 mm	
30 762 mm (30") 39 991 mm (39") 395 1003 mm (39.5") 40 1016 mm (40") SOE Style only 10 254 mm (10") 20 508 mm (20") 30 762 mm (30")		(29.25")	
39 991 mm (39") 395 1003 mm (39.5") 40 1016 mm (40") SOE Style only 10 254 mm (10") 20 508 mm (20") 30 762 mm (30")	295	748 mm (29.5")	
395 1003 mm (39.5") 40 1016 mm (40") SOE Style only 10 254 mm (10") 20 508 mm (20") 30 762 mm (30")	30	762 mm (30")	
(39.5") 40 1016 mm (40") SOE Style only 10 254 mm (10") 20 508 mm (20") 30 762 mm (30")	39	991 mm (39")	
40 1016 mm (40") SOE Style only 10 254 mm (10") 20 508 mm (20") 30 762 mm (30")	395	1003 mm	
SOE Style only 10 254 mm (10") 20 508 mm (20") 30 762 mm (30")		(39.5")	
10 254 mm (10") 20 508 mm (20") 30 762 mm (30")	40	1016 mm (40")	
20 508 mm (20") 30 762 mm (30")	SOE Style only		
30 762 mm (30")	10	254 mm (10")	
	20	508 mm (20")	
	30	762 mm (30")	
40 1016 mm (40")	40	1016 mm (40")	

Table 3 : Adaptor

Code	Description
Blank	DOE - double open end with no End Caps
M3	SOE - single open end with flat closed end and external 222 O-rings
M7	SOE - single open end with fin end, 2 locking tabs and external 226 O-rings
M8	SOE - single open end with fin end and external 222 O-rings

Table 4 : O-ring Seal Material*

Code	Description
S	Silicone Elastomer
Е	Ethylene Propylene Rubber

* For M3, M7 and M8 configurations only

Nexis T depth filter cartridges are constructed using an advanced, microprocessor controlled CoLD Melt™ production process that permits the creation of multiple filtration zones within a single filter cartridge.

Nexis T filter cartridges are intended for general food and beverage application use excluding oils.

An initial flush is recommended prior to use.

Issued 1 May 2009
Revised 22 January 2021
Expires 28 February 2023
Reference FBDCNEXISTENo

Page 1 of 3

Paul Znaniec

Quality Assurance Engineer Pall Timonium, USA

Nexis T Series Filter Cartridges ("W" Code)

Components

Filter Media Polypropylene

Core, End Cap and Fin End Polypropylene

Adaptor Polypropylene

O-ring Seal Silicone Elastomer (S) or

Ethylene Propylene Rubber (E)

Declaration

Nexis T Series "W" Code filter cartridges are comprised of materials that meet regulatory and legislative requirements and guidelines for food contact in that:

Europe

The "W" Code Nexis T Series filter cartridges meet the requirements for food contact as detailed in European Regulation (EC) Number 1935/2004 in that:

Our suppliers information indicates that the polymeric materials used to produce "W" Code Nexis T Series filter
cartridges are made from monomers and additives consistent with Annex I of Commission Regulation (EU) Number
10/2011 and its amendments, relating to plastic materials and articles intended to come into contact with foodstuffs
(excluding seals).

Migration testing has been performed, and met migration criteria after flushing and in flow conditions in:

Simulant B (3% acetic acid) 2 hours at reflux Simulant D1 (50% ethanol) 2 hours at reflux and Water up to 70 °C (158 °F).

This product contains materials that are subject to Specific Migration Limit (SML) requirements (excluding DOE configurations).

This product contacts calcium stearate, which is approved as a direct food additive.

Mercosur

Note:

Nexis T filter cartridges meet the requirements of food contact as detailed in Reglamento Técnico Mercosur sobre materiales celulósicos para cocción y filtración en caliente, Mercosur/GMC/Res. No. 41/15.

USA

The materials of construction meet the FDA requirements for food contact use as detailed in Code of Federal Regulations, 21 CFR paragraphs 170-199:

- Polypropylene to 21 CFR sections 177.1520 (Olefin polymers)
- Silicone Elastomer and Ethylene Propylene Rubber seal materials to 21 CFR section 177.2600 (Rubber articles intended for repeated use, excluding milk and edible oils).
- Users should satisfy themselves that these materials are suitable for use in their specific food application.

Process Quality System

Site of Manufacture: Pall Timonium, USA

The Quality Management System at Pall Timonium is certified to ISO 9001:2015.

These products / product packaging carry a lot number / date code to facilitate traceability to suppliers' materials and Pall production records.

Pall Timonium confirm that this product is manufactured in line with the principles of food contact materials GMP as detailed in Regulation 2023/2006.

Supplied in Europe

Pall International Sàrl Av. de Tivoli 3 Fribourg Switzerland CH-1700



Pall Food and Beverage

New York - USA +1 516 484 3600 telephone +1 866 905 7255 toll free foodandbeverage@pall.com

Visit us on the web at www.pall.com

Pall Corporation has offices throughout the world. For Pall representatives in your area, please go to www.pall.com/contact.

Because of developments related to products, systems and/or services described herein, the data and procedures are subject to change without notice. Please consult your Pall representative or visit www.pall.com to verify that this information remains valid.

© Copyright 2021, Pall Corporation. Pall, Och Melt and Nexis are trademarks of Pall Corporation. (a) indicates a trademark registered in the USA.